

# USB 1D

OCBS -C005

## Product Description

### Features

- Barcode
- 
- 

### Specifications

- 300/
- 3 mil
- 
- 
- 
- 
- 
- 
- USB-HID / USB / UART / KB / HID-POS
- 16
- IP45 5m
- 
- 

### Dimensions

Width	632mm	
Imaging Method	CCD	
Resolution	2500	
Barcode Height	≥ 3mil	
Barcode Width	≥ 30	
Supported Codes	UPC / EAN / JAN / UPC / EAN / UCC / EAN 128 / Code 39 / MSI / Code 11 / Code 39 Tri / Optic / Code 128 / Code 128 Full ASCII / EAN-13 / EAN-8 / UPC-A / UPC-E / ISBN / Code 93 / GS1 Databar / Codabar / Code 93 / Discrete 2 of 5 / IATA / RSS variants / Codabar / Chinese 2 of 5 / Interleaved 2 of 5 / pos	
Scanning Speed	300/	
Scanning Angle	±55°	
	±25°	
	±75°	
Dimensions (W x H x D)	165 x 65 x 97	
Weight	190g	
Light Source	LED	
Power Consumption	650mW	
Voltage	DC5V	
Current	130mA	
	86mA	
	42mA	
Accessories		
Interface	RS232 / USB 1.8	
Quantity	1	
Operating Temperature	-40°C ~ 60°C	
Storage Temperature	0°C ~ 50°C	
Relative Humidity	0 ~ 95%	
Warranty	5	

▶ Picture Show



OCBS-C005



## ▶ Application scenario

Logistics



Warehouse management



Supermarket



Clothing label



Jewelry label



Restaurant



## ▶ Company



## ▶ Certificates



## ▶ Payment



## ▶ Contact us



Bleue Pos tePay CartaSi 4B Euro6000

5.

.....

6.

Eruopean.....

159 2200 O2 500 ..... 50

**OCOM**

- 500 POS Auto-ID
- O2 Star .....
- 2300 159;
- 11 OEM / ODM
- POS 1
- 
- ISO FCC CE Soncap POA BIS
- 12 + 1
- “”
- 

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM POS POS POS POS CE FCC

OCOM “” OEM / ODM

**OCOM**

- 10 4 518054;
- www ocom inc.com www pos solution.com.cn;
- richard@ocominc.com richard@ocomtech.com .cn;
- sz ocom inc;
- Skype ocom inc2000;
- MSN ocomtech@hotmail.com;
- QQ 2485890637;
- hj34924238;
- Whatsapp 0086.133.52932860;
- 0086.133.52932860;
- 0086.755.86053207 808;
- 0086.755.86053207 868;

\* 500 POS \*