

Product Description



	T	
		32000
		2500[[CCD[]]
		LED[[[63.0nm±10nm]]
		350000
		□□±75°□□±60°□□±80°
		3mil ean-13 4cm - 20□□
		7 mil ean-13 4cm - 35□□
		20mil ean-13 5cm - 65□□
		≤120mm
		3mil
		15[]
		Code 39, Full ASCII Code 39, Code 32, Code 128,
		Code 93,Code 11, Codabar/NW7
		All UPC/EAN/JAN code (EAN-13,EAN-8, UPC-A, UPC-E,
		EAN-128), Interleave 2 of 5, STD 2of 5, Industrial 2 of
		5, WPC code
		matrix 2 of 5, Chinese Postage Code,IATA,
		MSI/PLESSY, Italian Pharmacy Code, Industrial 2 of
		5,BC-412 . UPC-A, UPC-E, Code 128, Code 93, Coda
		bar, IATA, MSI/PLESSY, Code 32, STD
		4.5[]5.5V DC V1±5[]
		□□ 100□110mA
		□□ 30□40mA

		 171mm L ×70mm W ×88mm H
		200G
		ABS
		USB
		-20℃
		-40°C
		0009800000
		0∏70,000lux
	5mil UPC	40 240
	10mil code93	40 300
	15mil ean13	50 650
	20mil code128	40 50
	40mil code128	80 650

Picture Show



