

CCD

OCBS-C020/C020H

Product Description

CCD

300mm/s SCAN

4 Mil

1D

	OCBS -C020	OCBS -C020H
	ABS+PC	
	+	
IP	IP42	
	USB	
	32 ARM	
	LED	
	DC 5V±5	
	375MW; 226MW; 750MW	
ESD	15kV	
	1.5m	
	Linux Android Windows XP 7 8 10 Mac	
	1500 CCD	2500 CCD
	39 417 15 4-8cm Code128 4.17 16 7-15	
	25	
	≥400 PCS90 39	
	1/5	
	≥25	

□□	□□LED□□□□+□□LED□□□□
□□□□	□□360°□□□30°□□□45°
1D□□□□	Code25 Interleaved□Code25-Standard□Code25-Matrix□ code39-regular□code39-fullascii□code32□code93-regular□ Code93-Fullascii□Code128□EAN/GSL/UCC-128AUTO□ Codabar□MSI□EAN/JAN-13□UPC-A□1□8□□UPCE
□□	
□□□□□□□□	0□45□□□□□□10□□80□□□□□
□□□□□□□□	-20□60□□□□□□10□□90□□□□□





OCBS-C020/C020H





OCBS-C020/C020H





OCBS-C020/C020H





OCBS-C020/C020H





OCBS-C020/C020H





OCBS-C020/C020H

