

Android 7.0 wifi PDA

OCBS -D5000

□□

- Android 7.0
- 2GB RAM, 16GB ROM
- Gorilla 5.0 in. 720*1280 Gorilla HD Screen
- Rugged IP65/1.5 m Drop Tolerance
- Rechargeable li-ion polymer, 3.7V, 4500 or 8000mAh Battery
- Rear Camera 8 MP, auto-focus with LED flash
- Support 4G/Wifi/GPS/Bluetooth
- HHW Software Development Kit
- 1D/2D Barcode Scanner(optional)
- RFID LF/HF/UHF/NFC (optional)
- TCS1SM Capacitive Fingerprint Sensor(optional)



□□□

□□□□	
□□	170□□□□□x85□□□□□x23□□□□□±2□□
□□	□□□380g□□□□□□□□□□
□□	□□□5.0□□TFT-LCD□720x1280□□□□□□□□
□□	LED□□
□□	3□TP□□6□□□□□4□□□□
□□	2□PSAM□1□SIM□□1□TF
□□	□□□□□□□□□3.7V□8000mAh
□□□□	
□□□□□□	□□A53 1.5GHz□□
□□□□	Android 7.0
□□	2GB RAM□16GB ROM□MicroSD□□□32GB□□□
□□□□	
□□□□	-20°C□50°C
□□□□	-20°C□70°C
□□	5□RH□95□RH□□□□□□
□□□□	5□□/1.5□□□□□□□□□□□□□□□□□□□□
□□	IP65□□□IEC□□
ESD	±15kv□□□□□□±8kv□□□□□□±8kv□□□□□
□□□□	
SDK	HHW□□□□□□□□
□□	Java□
□□	Android Studio□Eclipse
□□□□	
WWAN	TDD-LTE□□38,39,40□FDD-LTE□□1,2,3,4,7; WCDMA□850/1900 / 2100MHz□□; GSM / GPRS / Edge 850/900/1800 / 1900MHz□;
WLAN	2.4G / 5G□□□IEEE 802.11 a / b / g / n / ac
WPAN	□□Class v2.1 + EDR□□□v3.0 + HS□□□v4.0
□□□□□□	GPS□□□□A-GPS□□□□□□5□

□□□□□		
□□□□□□□□□□		
1D□□	□□□□□□	□□□□N431x
	□□	□□□□□□□□□□
	2D CMOS□□□□	□□□□N6603
□□□□	□□	PDF417□MicroPDF417□Com pos ite□RSS□TLC-39□Datamatrix□QR□Micro QR □□Aztec□MaxiCode□Pos tal□□□□□□Pos tNet□□□□□□□□□□Pos tal□ □□□□□□□□□□Pos tal□□□□□□□□□□Pos tal□□□□
□□□□□		
□□□□	800□□□□	
□□	□□LED□□□□□□□□□□	
RFID □□□□□□□□		
RFID LF	□□	□125KHz / 134.2KHz□FDX-B / HDX□
	□□	ISO 11784& 11785
	R / W□□	2□□□10□□
RFID HF	□□	13.56MHz□
	□□	ISO 14443A& 15693
	R / W□□	2□□□8□□
RFID UHF	□□	865~868MHz□920~925MHz
	□□	EPC C1 GEN2 / ISO 18000-6C
	□□□□	□□□□□□2dBi□
	R / W□□	1□□1.5□□□□□□□□□□□□□□
□□2.45GHz	□□□□□□□□200□□□□□□□□	
433MHz□	□□□□□□□□200□□□□□□□□	
ZigBee □□□□□□□□		
□□	IEEE 802.15.4□□□□□	
□□□□	100□□200□□□□□□□□	
□□□□□□□□□□		
□□□□	TCS15M	
□□□□□□	□□□□□□□□□□	
□□□□	508 DPI	
□□	FRR <0.008□□FAR <0.005□	
□□	1000	
PSAM □□□□□□□□		
□□	ISO 7816	
□□□□	9600,19200,38400,43000,56000,57600,115200	
□□	2□□□□□□□□□□	
□□		
□□	1xPower□□ 1x□□□□□□□□□□ 1xDC□□□□□ 1xUSB□□□□□	
□□□□	□□□□□□□□UHF□□□□	

OCBS-D5000

Handheld Android Industrial Data Terminal

Android OS

industrial handheld reader

- 1, read distance 6m,
low-power, cost-effective
- 2, single tag read distance 7m,
20s read 200pcs
- 3, single read distance 6m,
20s read 600pcs



android pda pda pda pda