

# OCBS -L015 1d 2d

## OCBS -L015



### OCBS

I 200MM / S

I 10-60cm

I

I 1.5m

I

### OCBS

OCBS	OCBS
OCBS	OCBS 650nm
OCBS	OCBS
OCBS	UPC-A, UPC-E, EAN-13, EAN-8, ISBN / ISSN, Code 39, Code Bar, Interleaved / ITF 25, Industrial 25, Code 128, Code 93, Code 11, MSI / PLESSEY, UCC / EAN128
OCBS	USB, RS232, PS / 2
OCBS	OCBS
OCBS	RS232 1200-19200
OCBS	OCBS 0.1 4
OCBS	2-9 0.1 3-50 0.3
OCBS	200 scans / sec
OCBS	10-600mm 60° 45°
OCBS	-20°C-50°C
OCBS	-20°C-60°C
OCBS	0-95°
OCBS	5°-95°
OCBS	OCBS 5V±5%
OCBS	50ma 40ma 100ma

重量	20g
扫描距离	1.5m
材质	ABS + PVC + PC
尺寸	167 * 97 * 65mm
ESD	15KV





OCBS-L015





OCBS-L015





OCBS-L015





## 1. 開箱

請檢查包裝是否完好，如有損壞，請與賣家聯繫。

請檢查包裝內是否有以下配件：

## 2. 安裝 & 使用

請按照用戶手冊中的說明進行安裝。

請確保掃描器與電腦連接正常，並安裝相應的驅動程序。

如果您有任何問題，請聯繫我們的客戶服務團隊。  
[www.aliexpress.com/store/403448](http://www.aliexpress.com/store/403448) = minisite\_CI

## 3. 注意

OCOM 產品在運輸過程中應避免劇烈震動；

請將產品存放在乾燥、通風、無腐蝕性氣體的環境中。

