

OCBS -LA15

m / n OCBS -la15

OCBS

OCBS -LA15

OCBS -LA15 400 DPI / 10mm - 600mm

OCBS -LA15

USB RS232

OCBS - LA15

OCBS

OCBS	
OCBS	OCBS -LA15
OCBS	OCBS -LA15
OCBS	ABS + PVC + PC
IP	IP52.
OCBS	OCBS
OCBS	USB RS232
OCBS	105MW 320mW 550mW [OCBS]
OCBS	5V DC ±5%
OCBS	100000
OCBS	15kV
OCBS	1.5
OCBS	OCBS Q
OCBS	Linux Android Windows XP / 7 / 8 / 10 Mac
OCBS	
OCBS	Visual 650nm.
OCBS	400 DPI
OCBS	10mm-600mm.
OCBS	OCBS
triggle	OCBS
OCBS	1/5000000
OCBS	OCBS + LED
OCBS	4mil.
OCBS	30
OCBS	OCBS 30° 45° 55°
OCBS	OCBS 39 9.17MIL 15 5cm - 20cm Code93 10.83MIL 16 5cm - 23cm Code128 9.17mil 16 5cm - 20cm ean13 10.4mil 2cm - 25cm

□□□□	Code25□□□Code25□□□Code25-Matri□Code39□ Code32□Code93□Code128□EAN / GS1 / UCC128□Codabar□MSI□ □□Plessey□Ean / Jan-13□UPC-A□EAN 8□CODE11□UPCE□ GS1□□□GS1 Limited□Febraban□□□□□□□□□ □□pos TAL.
□□□	
□□	□□□426
□□	180 * 115 * 92mm
44□1□□	600 * 450 * 385mm / 20.9kg
□□	
□□□□□□□□	0□45□□□□10□□80□□□□□□
□□□□□□□□	-20□60□□□□10□□90□□□□□□



















Relevant documents:

[OCBS-LA15 user manual](#)