

# OCBS -T2001

## OCBS -T2001

### ▶ Product Description

□□□

1. □□□□□
2. □□□□□1D / 2D□□
3. □□□□□
4. □□Windows□Android□Linux□□

□□□

□□□□		
□□□□□	640x480 CMOS	
□□□□	1D	□□128□UCC / EAN-128□□□128□EAN-8□EAN-13□ ISSN□ □□□□□□□UPC-E□UPC-A□Interleaved 2 of 5□ITF-6□ITF-14□□□2□5□□□□□2□5□□□□25□□□25□□□39□□□□□□□□□93□□□11□□□□□MSI-□□□□RSS-14□RSS-□□□□□RSS-□□
	2D	PDF417□QR□□DATAMATRIX
□□□	≥5mil	
□□	QR□□30MIL□0-15CM □□128□10MIL□0-12CM	
□□□□	□□±60°@ 0°Roll□0°Skew □□360°@ 0°□□□0°□□ □□±55°@ 0°□□□0°□□	
□□□□	≥30□	
□□	RS-232 □ USB □□□□	
LED□□□	□□□□□□□	
□□□□		
□□□□	IP5X	
□□□□	-20°C?50°C	
□□□□	-40°C?70°C	

□□	5□?95□□□□□□
□□□□	
□□	USB□228g RS232□261g
□□	102 * 82 * 73□□□L * W * H□
□□□□	
□□□□	5V + 0.25V
□□□□	430□□
□□	Max□ <200mA;□□□ 150mA±15mA;□□□ 80mA±2mA

▶ Picture Show



OCBS-T2001





OCBS-T2001






OCBS-T2001





# OCBS-T2001



## ▶ Company



## ▶ Certificates



## ▶ Payment



## ▶ Contact us





