

OCBS -T2001 1D/2D Barcode Scanner USB

M / N OCBS -T2001



Features

Compact

1D / 2D

Barcode

Windows / Android / Linux

Specifications

Resolution		640x480 CMOS
Barcode	1D	Code 128 / UCC / EAN-128 / AIM 128 / EAN-8 / EAN-13 / ISSN / ISBN / UPC-E / UPC-A / Interleaved 2 of 5 / ITF-6 / ITF-14 / Matrix 2 of 5 / European Matrix 2 of 5 / Industrial 25 / Standard 25 / Code 39 / Codabar / Code 93 / Code 11 / Plessey / MSI-Plessey / RSS-14 / RSS-Limited / RSS-Expand
	2D	PDF417 / QR / DATAMATRIX
Resolution		≥5mil
Barcode		QR 30MIL 0-15CM 128 10MIL 0-12CM
Barcode		±60° @ 0° Roll / 0° Skew 360° @ 0° / 0° ±55° @ 0° / 0°
Barcode		≥30
Interface		RS-232 / USB
LED		
Barcode		
Barcode		IP5X
Barcode		-20°C ~ 50°C
Barcode		-40°C ~ 70°C
Barcode		5 / 95
Barcode		
Barcode		USB / 228g RS232 / 261g

尺寸	102 * 82 * 73mm
电压	5V + 0.25V
功率	430mW
电流	待机 < 200mA; 工作 150mA ± 15mA; 峰值 80mA ± 2mA





OCBS-T2001



OCOM

500 100

12 + 1 24

30 DOA DOA

4.

T / T LC Western Union Escrow T / T Western Union Escrow Paypal Escrow Alipay.com Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5.

6.

Eruopean

133 1300 02 500 50

OCOM

500 POS

02 Star

1500 133

9 OEM / ODM

POS

FCC CE Soncap POA BIS

12 + 1

"