OCBS -T203[illegible]

[illegible]M / N[illegible]OCBS -T203[illegible]

[illegible]pos[illegible]1D / 2D[illegible]

[illegible];[illegible]

[illegible]Aisino[illegible]Best wonoer[illegible]

[illegible]

[illegible]

32[illegible] [illegible]DSP[illegible]	[illegible]32[illegible]ARM[illegible]DSP[illegible]1D[illegible]2D[illegible]
2D[illegible]	[illegible]
[illegible]	[illegible]Aisino[illegible]Best wonoer[illegible]WeChat[illegible]
[illegible]	0-200mm @[illegible]UPC / EAN 100[illegible]PCS90[illegible]
[illegible]	[illegible]5mil[illegible]
[illegible]	[illegible]
[illegible]	[illegible] - [illegible] - [illegible]
USB[illegible]	[illegible]windows[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible]

[illegible]	[illegible]100[illegible]
[illegible]	[illegible]72[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]LED[illegible]	[illegible]LED[illegible];[illegible]
[illegible]	[illegible]
[illegible]	[illegible]50[illegible]

[illegible]

[illegible]		CMOS
[illegible]		752 * 480 CMOS
[illegible]		[illegible]LED
[illegible]		Code128[illegible]UCC / EAN-128[illegible]AIM-128[illegible]EAN-8[illegible]EAN-13[illegible]ISBN / ISSN[illegible]UPC-E[illegible]UPC-A[illegible]Interleaved 2 of 5[illegible]ITF-6[illegible]ITF-14[illegible]Matrix 2 of 5[illegible]25[illegible]25[illegible]Code 39[illegible]Codabar[illegible]Code 93[illegible]Code 11[illegible]Plessey[illegible]MSI-Plessey[illegible]GS1-DataBar[illegible]RSS[illegible]RSS-14[illegible]RSS-Limited[illegible]RSS-Expand[illegible]
		PDF417[illegible]QR[illegible]QR1 / 2[illegible]ECC200[illegible]ECC000,050,080,100,140[illegible]
[illegible]		≥3mil
[illegible]		2.5[illegible]/[illegible]
[illegible]	[illegible]	±50°@ 0°Roll[illegible]0°Skew
	[illegible]	±360°@ 0°[illegible]0°[illegible]
	[illegible]	±60°@ 0°[illegible]0°[illegible]
[illegible]		USB HID-KBW[illegible]USB[illegible]USB HID-POS TTL-232[illegible]RS-232
[illegible]		[illegible]44°[illegible]33.2°
[illegible]	EAN-13	0[illegible]-20[illegible]13mil[illegible]
	PDF 417	0[illegible]-7[illegible]6.67mil[illegible]
	[illegible]39	0cm-12cm[illegible]5mil[illegible]1[illegible]
	[illegible]	0[illegible]-4[illegible]10MIL[illegible]
	[illegible]	0[illegible]-10[illegible]15[illegible]
[illegible]L * W * H[illegible]		89 * 108 * 143mm[illegible]2[illegible]
[illegible]		245[illegible]
[illegible]		20℃[illegible]+ 50℃[illegible]-4°F~122°F[illegible]
[illegible]		-40℃[illegible]+ 80℃[illegible]-40°F~176°F[illegible]
[illegible]		5[illegible]95[illegible]
ESD		±14 kV[illegible]±8 kV[illegible]
[illegible]		1.2[illegible]
[illegible]		IP 52

OCOM®
At your side
OCBS-T203
ISO
FC
CE
RoHS

Aocom®
At your side

OCBS-T203

ISO FC CE RoHS

[illegible]

[illegible]

[illegible]

[illegible]

2.[illegible]&[illegible]

[illegible]

[illegible]

[illegible]t / t[illegible]western uion[illegible]paypal[illegible]aliexpress[illegible]
[illegible]http[illegible]//www.aliexpress.com/store/403448[illegible]tracelog = minisite_CI[illegible]

3.□□

OCOM□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□;

□□□□□□□□□500□□□□□□□□□□□□□□□□□□□□□100□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□12 + 1□□□□□□□□□□□□□□24□□□□□□;

□□□□□30□□□□□□□□□□□□□□□DOA□□ DOA□□□□□□□□□□□□□□□□

□□

4.□□□□

□□□□□□□□□□□□□T / T□LC□Western Union□Escrow□□□□□□□□□□□□□□□□□□T / T□Western Union□Escrow□Paypal□
□□□□□.Escrow□□□Alipay.com□□□□□□□□□□□□□Moneybookers□Visa□MasterCard□□□□□□□□□□□□□□□□□□□□□□□
□Maestro□Solo□Carte Bleue□Pos tePay□CartaSi□4B□Euro6000□

5.□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

6.□□

□□□□□□□□□□□□□□Eruopean□□□□□□□□□□□□□□□□□□...□

□□□□□□□133□□□□1300□□□□□□□□□□□□□□□□□□O2□□□□□500□□□......□□50□□□□□□□□□□□

□□□□□□

□□□□□OCOM□

□□□□500□□□□□□□□□POS□□□□□□□□□□□□
□□□□□□□□□□□O2□Star ......
1500□□□□□133□□□;
9□OEM / ODM□□□
POS□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□
FCC□CE□Soncap□POA□BIS□□□□□
12 + 1□□□□□□□
□□“□□□□□□□”
□□□□□□□□□□□□□□□□□