

OCBS-T203 1D / 2D

M / N OCBS-T203

1D / 2D

Aisino

5mil

100

ARM DSP

32 DSP	32 ARM DSP 1D
	2D
	UPC / EAN 100 PCS90
	5mil
	USB windows
	100
	72
	LED operation.standby
	50kg

CMOS

	CMOS
	752 * 480 CMOS
	LED
	Code128 UCC / EAN-128 AIM-128 EAN-8 EAN-13 ISBN / ISSN UPC-E UPC-A Interleaved 2 of 5 ITF-6 ITF-14 5 Matrix 2 Industrial 25 Standard 25 Code 39 Codabar Code 93 Code 11 Plessey MSI-Plessey GS1-DataBar RSS RSS-14 RSS-16
	PDF417 QR QR1 / 2 Micro ECC200 ECC000,050,080,100,140
	≥5mil
	2.5
	±50° @ 0° 0°
	±360° @ 0° 0°
	±60° @ 0° 0°
	USB HID-KBW USB HID-POSTTTL-232 RS-232
	44° 33.2°

0000	EAN-13	000-2000013mil
	PDF 417	000-70006.67mil
	0039	0cm-12cm5mil00010
	0000	000-400010MIL
	000	000-100015000
000L * W * H		89 * 108 * 143mm002
00		245000000000
000020°C + 50°C -4°F 122°F		0000
-40°C + 80°C		-40°F 176°F 00
50095000000		ESD
±1400000		0000±8 kV000000 00
1.2		00000000000000 00
IP 52		







Aocom®
Express





