

M / N OCBS -T203

pos / 2
2D
Aisino Best woener

M / N

CMOS	
752 * 480 CMOS	
LED	
Code128/UCC / EAN-128/AIM-128/EAN-8/EAN-13/ISBN / ISSN/UPC-E/UPC-A/5[2]/ITF-6[2]/ITF-14[2]/5[2]/25[2]/25[3]/39/Codabar[93]/11/Plessey/MSI- Plessey/GS1-DataBar/RSS[14]/RSS-Limited/RSS-Expand/ PDF417[QR]/QR1 / 2[140] ECC00[050][080][100][140]	
≥3	
2.5 m /J	
±50°@ 0°[0°]	
±360°@ 0°[0°]	
±60°@ 0°[0°]	
USB HID-KBW/[USB][USB HID- POS TTL-232/RS-232	
[44][33.2°	
EAN-13	0cm-20cm[1300]
PDF 417	0cm-7cm[667]
[39]	0cm-12cm[500][1]
	0[4][1000]
	0cm-10cm[1500]
[*][89 * 108 * 143[2]
245[2]	
20°C[+ 50°C]-4°F[122°F]	
-40°C[+ 80°C]-40°F[176°F]	
5[95]	
±14 kV[±8 kV]	
[1.2m]	
IP 52	





