



- T209

特性

1. 高感度
2. 30mm/s
3. 4milS
4. LED
- 5.
- 6.
- 7.
8. Windows/linux/Android/IOS/MacOS

仕様

型番	OCBS-T20 9
インターフェース	RS-232C/USB HID/USB
伝送距離	1.8M
光源	LED/
電圧	5V (-10%)/500mA
電流	動作電流 < 300 mA 待機電流 < 210 mA
対応OS	Windows/Linux/Android/IOS/MacOS
ESD耐性	8kV
寸法	1.2m/4.0
S	O CMOS
光源	LED
解像度	2M
視野	120°
角度	0-360° ±60° ±60°
感度	≥15%
検出範囲	0 -100,000
検出精度	0.102/4
検出モード	5mil 128 0-70mm 5 EAN-13 0-70 4 EAN-13 0-240 500 PDF417 0-60 1000 PDF417 0-170 1500 PDF417 0-270 2000 DM 0-80 対応規格
検出方式	GS1 DataBar™ 2D GS1 DataBar Expanded Stacked GS1 DataBar GS1 DataBar GS1 PDF417 PDF417
重量	450 g
寸法	190*105*108 mm
20 x 1	560 * 225 * 400 / 1.0
動作温度	0~45°C 10%~80%
動作湿度	-20~60% 10%~90%











