

OCBS -T210 USB

M / N OCBS -T210

OCBS

OCBS -T210 USB

OCBS -T210 USB

OCBS -T210 USB

OCBS -T210 USB

OCBS -T210 USB

OCBS -T210 USB



OCBS	
LED	650nm LED
Resolution	1280 * 720
Resolution	25
Angle	45°H x 35°V

□□/□□/□□	360°/±65°/±60°
□□□□	□□□□600□□□□□□□□
□□□	□□LED&□□□
□□	USB□RS232
□□□2D	PDF417□MicroPDF417□Data Matrix□ Maxicode□QR Code□MicroQR□Aztec
□□□1D	UPC / EAN□Code 128□Code 39□Code 39□Code 93□Code 11□ Matrix 2 of 5□Interleaved 2 of 5□Industrial 2 of 5□ Martrix 2 of 5□Codabar□MSI / Plessy□GS1 Databar
□□□□	
□□□□	5V DC±5□
□□ - □□	90□□
□□ - □□	400□□
□□□□	
□□□□□	ABS
□□□	104□□×□L□96□□□W□×166□□□H□
□□□	300□□□□□□□□; 530□□□□□□□□□□
□□□	USB□HID□□□□□□□□
□□□□	
□□□□	32°□122°F / 0°□50°C
□□□□□	-40°□158°F / -40°□70°C
□□□	5□□95□□□□□□
□□/□□□□	□□□10Gs 0.06"□□□□□
□□□□□	□□□□□□□□1600 Lux□ □□□□□□86,000 Lux□□□□□



OCBS-T210





OCBS-T210





OCBS-T210



ISO FC CE RoHS



OCBS-T210





OCBS-T210





OCBS-T210



