

# OCBS -T210

## M / N

OCBS

OCBS

OCBS

OCBS

OCBS

OCBS

OCBS



OCBS	
OCBS	OCBS 650nm LED
OCBS	1280 * 720
OCBS	OCBS 25
OCBS	45°H x 35°V

□□/□□/□□	360°/±65°/±60°
□□□□	□□□□600□□□□□□□□
□□□□	□□LED&□□□□
□□	USB□RS232
□□□□2D	PDF417□MicroPDF417□Data Matrix□ Maxicode□QR Code□MicroQR□Aztec
□□□□1D	UPC / EAN□Code 128□Code 39□Code 39□Code 93□Code 11□ Matrix 2 of 5□Interleaved 2 of 5□Industrial 2 of 5□ Martrix 2 of 5□Codabar□MSI / Plessy□GS1 Databar
□□□□	
□□□□	5V DC±5□
□□ - □□	90□□
□□ - □□	400□□
□□□□	
□□□□□□	ABS
□□□□	104□□×□□L□96□□□□W□×166□□□□H□
□□□□	300□□□□□□□□; 530□□□□□□□□□□□□
□□□□	USB□HID□□□□□□□□□□
□□□□	
□□□□	32°□122°F / 0°□50°C
□□□□□□	-40°□158°F / -40°□70°C
□□□□	5□□95□□□□□□□□
□□/□□□□□	□□□□10Gs 0.06"□□□□□□
□□□□□□	□□□□□□□□□□1600 Lux□ □□□□□□□□86,000 Lux□□□□□□



OCBS-T210





OCBS-T210





OCBS-T210





OCBS-T210





OCBS-T210





OCBS-T210





