

OCBS T214

- T214)

1. 1

1. 1
2. 2/3
3. 1
4. 1

2

| | |
|--|--|
| | |
| OCBS | OCBS-T2 14 |
| USB | USB |
| 5V | 5V |
| 380 | 380 |
| 24 0 | 24 0 |
| 190 | 190 |
| 8 G r.m.s. 10 500 Hz 2 3 | 8 G r.m.s. 10 500 Hz 2 3 |
| | |
| CMOS | CMOS |
| LED | LED |
| 44 ° (), 34 ° | 44 ° (), 34 ° |
| > 0.4m/S | > 0.4m/S |
| ±6 5 °@ 0°Roll 0° Skew 360°@ 0° 0° ± 6 5°@ 0°Roll 0° Pitch | ±6 5 °@ 0°Roll 0° Skew 360°@ 0° 0° ± 6 5°@ 0°Roll 0° Pitch |
| 20% | 20% |
| 0-100,000 | 0-100,000 |
| Code39(5mil):0-120mm, Code39(13mil):0mm-240mm QR(20mil):0mm-210mm QR(QR 30*30mm):40mm-650mm QR(QR 23mm*23mm):20mm-550mm | Code39(5mil):0-120mm, Code39(13mil):0mm-240mm QR(20mil):0mm-210mm QR(QR 30*30mm):40mm-650mm QR(QR 23mm*23mm):20mm-550mm |
| Code128 / 128, EAN .UCC 2 of 5 ,RSS,Postnet, 39 , 93 , 11 , Standard 2 of 5 UPC/EAN 2D PDF417 Matrix 2 of 5 MicroPDF417 MaxiCode Codablock Aztec TLC 39 DataMatrix | Code128 / 128, EAN .UCC 2 of 5 ,RSS,Postnet, 39 , 93 , 11 , Standard 2 of 5 UPC/EAN 2D PDF417 Matrix 2 of 5 MicroPDF417 MaxiCode Codablock Aztec TLC 39 DataMatrix |
| | |
| 437 g | 437 g |
| 151 *1 42 * 84 mm | 151 *1 42 * 84 mm |
| 245X165X105mm /700g | 245X165X105mm /700g |
| 15 1 525X430X360mm/12kg | 15 1 525X430X360mm/12kg |
| | |
| 0 45 10%~80% | 0 45 10%~80% |
| -20 60 10%~90% | -20 60 10%~90% |











