

□□□□□□□□□□□□□□□□

□M/N□OCBS-T216□

□□□



□□□□□□4mils□

□□ LED □□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□□□

□□□□10%□□□□□□□□□□

□□□□□□□□□□OCR□

□□□

品牌	
型号	OCBS-T216
接口	USB
分辨率	USB RS232
传输距离	1.8M
光源	LED
功率	5V/1A
功耗	150mA/530mA
操作系统	Windows/Linux/Android/IOS/MacOS
尺寸	1.5m/4.0
品牌	
传感器	CMOS 1280*800
分辨率	1,000,000
精度	≥4mil/0.1mm PCS90%, 39
测量范围	0mm~500mm
精度	100
光源	LED
接口	
精度	±360° ±70° ±65° (CODE39, 10mil/0.25mm, PCS90%)
精度	≥20%
接口	
接口	4mil 39 10mm—70mm 10mil 39 0mm—190mm 13mil UPC/EAN 0mm—250mm 20mil 10mm—200mm ETC..... UPC, EAN, ISBN, ISSN, GS1, SBT, 39, 32, 93, 11, Codabar, Interleaved 2 of 5, Matrix 2 of 5, 2 of 5, IATA, 2 of 5, NEC, 2 of 5, MSI, 2D: QR Code, Micro QR Code, Data Matrix, PDF417, Micro PDF 417, MaxiCode, Aztec, HanXin Code, Pharma Code(One-Track), Codablock A, Codablock F, Dot Code, GS1 Databar, GS1 TLC, 39, OCR, 2 of 5, USPS, Planet Code, Postnet Code, UPU 4-State, KIX Code
品牌	
接口	700
尺寸	220*180*110
品牌	
精度	0~45°C 10%~80%
精度	-20~60°C 10%~90%











Model: OCBS-T216

Input: DC5V/0.5A



OCBS-T216334180004

NOTE: DON'T STARE AT LED LIGHTS WHILE

OPERATING.



MADE IN CHINA









**Aocom** 2D Barcode Scanner  
Model: OCBS-T216 Color: Black  
Interface: USB  
Power Input: 5V 1A CE FC  
OCBST216233410006  
MADE IN CHINA