

□□□□□□□□□□□□□□□□

□M/N□OCBS-T216□

□□□



□□□□□□4mils□

□□ LED □□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□□□

□□□□10%□□□□□□□□□□

□□□□□□□□□□OCR□

□□□

品牌	
型号	OCBS-T216
接口	USB
分辨率	USB RS232
传输距离	1.8M
光源	LED
功率	5V/1A
功耗	150mA/530mA
操作系统	Windows/Linux/Android/IOS/MacOS
尺寸	1.5m/4.0
品牌	
传感器	CMOS 1280*800
分辨率	1,000,000
精度	≥4mil/0.1mm PCS90%, 39
测量范围	0mm~500mm
精度	100
光源	LED
精度	
精度	±360° ±70° ±65° (CODE39, 10mil/0.25mm, PCS90%)
精度	≥20%
精度	
精度	4mil 39 10mm—70mm 10mil 39 0mm—190mm 13mil UPC/EAN 0mm—250mm 20mil 10mm—200mm ETC..... 1D UPC-A UPC-E EAN-8 EAN-13 ISBN ISSN 128 GS1-128 ISBT 39 32 93 11 Codabar(NW-7) Interleaved 2 of 5 Matrix 2 of 5 (Straight 2 of 5) 2 of 5 IATA 2 of 5 NEC 2 of 5 MSI 2D: QR Code, Micro QR Code, Data Matrix PDF417, Micro PDF 417 MaxiCode, Aztec HanXin Code, Pharma Code(One-Track), Codablock A, Codablock F, Dot Code GS1 Databar(GS1) GS1 TLC 39 OCR 2 of 5 (USPS) USPS Planet Code Postnet Code UPU 4-State KIX Code
品牌	
精度	700
精度	220*180*110
品牌	
精度	0~45°C 10%~80%
精度	-20~60°C 10%~90%











Model: OCBS-T216

Input: DC5V/0.5A



OCBS-T216334180004

NOTE: DON'T STARE AT LED LIGHTS WHILE

OPERATING.



MADE IN CHINA







ACOM 2D Barcode Scanner
Model: OCBS-T216 Color: Black
Interface: USB
Power Input: 5V 1A CE FC
OCBST216233410006
MADE IN CHINA