



- 218 )

□□□

1. □□□□□□□□□□
2. 400□□□□□□
3. 6□40 \* 480 □□□□
4. □□□□□□□□

□□

□□	OCBS-T2 18
□□	USB
□□□□	5V
□□□□	315mA
□□□□	□□320 □ □□235m□□
□□□□	□□□ 120 □□□□□□□□
□□□□	CMOS 640*480□□
□□	(Aimer) □□ LED, (Illumination) □□ LED
□□	39 ° (□)x29 ° □□□
□□□□	>= 4mil
□□□□	□□±6 5 °@ 0°Roll □ 0° Skew □□ 360°@ 0°□□□ 0° □□ □□ ± 6 5°@ 0°Roll □ 0° Pitch
□□□□	□□□□□ 20%
□□□□□□	0-100,000 □□□
□□□□	□□39(5mil):0□□-70mm,Code39(13mil):0mm-170mm QR(20mil):0mm-110mm,□□□(QR 30mm*30mm):0mm-300mm
□□□□	□□□□ □□□□ , □□ 39 , □□ 32 □□ (PARAF) , Interleaved 2 of 5,NEC 2 of 5,Code 93,StraiGht 2 of 5 Industrial,Straight 2 of 5 IATA,Matrix 2 of 5,Code 11,Code 128,GS1-128,UPC-A,UPC-E, EAN/JAN-8,EAN/JAN-13,MSI,GS1 DataBar Omnidirectional,GS1 DataBar Limited,GS1 DataBar Expanded,□□□□(□□ 2 of 5),□□□□□ □□□□ □ T Code , □□□□ - A ,□□□□-F, PDF417 , MicroPDF417 , GS1 C □□□□□ , □□□□□ ,Data Matrix,MaxiCode,Aztec,□□□□
□□□□	Codabar,Code39,Interleaved2of5,NEC2of5,Code93,Code128,GS1-128,UPC-A,UPC-E0,EAN/JAN-13,EAN/JAN-8,GS1-DataBar,PDF417,QR,DM,Aztec
□□	□□ :249 g
□□	140.2* 84* 90.1 mm
□□	122X165X105mm /343g
30□1□□	525X430X360mm,11.8kg
□□	0□45□□□□10%~80% □□□
□□□□□	-20 □ 60 □□□□10%~90% □□□











