

□□□□□□□□□□

□M/N□OCBS-T220)

□□□



□□□□□□□□□□ 30□□□□

□□□□□□4mils□

□□ LED □□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□

□□

品名	
型号	OCBS-T220
接口	USB
传输速率	USB RS232
容量	1.8M
光源	LED
功率	500mA/1A
工作电压	115mA 5V 510mA
兼容性	Windows/Linux/Android/IOS/MacOS
分辨率	1.5m/4.0
品名	
芯片	CMOS 640*480
帧率	30
精度	≥4mil/0.1mm PCS90%, 39
尺寸	10mm~250mm
速度	65/
光源	LED
精度	
精度	±360° ±65° ±60° (CODE39, 10mil/0.25mm, PCS90%)
精度	≥15%
精度	
精度	4mil 39 40mm—70mm 10mil 39 10mm—130mm 13mil UPC/EAN 10mm—160mm 20mil 10mm—150mm ETC..... UPC-A, UPC-E, EAN-8, EAN-13, ISBN, ISSN, 128, GS1-128, ISBT, 39, 32, 93, 11, Codabar(NW-7), Interleaved 2 of 5, Matrix 2 of 5, Straight 2 of 5, IATA 2 of 5, NEC 2 of 5, MSI, 2D: QR Code, Micro QR Code, Data Matrix, PDF417, Micro PDF 417, MaxiCode, Aztec, HanXin Code, Pharma Code(One-Track), Codablock A, Codablock F, Dot Code, GS1 Databar, GS1 TLC 39, OCR, 2 of 5, USPS, Planet Code, Postnet Code, UPU 4-State, KIX Code
精度	
精度	450
精度	170*115*110
精度	
精度&精度	0~45°C 10%~80%
精度	-20~60°C 10%~90%















2D Barcode Scanner

Model: OCBS-T220

Color: Black

Interface: USB

Power Input: 5V 0.5A



OCBST2202336500001

MADE IN CHINA