

1D

M/NOCBS-T220)



30

4mils

LED


品名	
型号	OCBS-T220
接口	USB
接口标准	USB RS232C
传输距离	1.8M
光源	LED/白光
光源功率	5W/1A
光源寿命	115mA/510mA
操作系统	Windows/Linux/Android/iOS/MacOS
接口尺寸	1.5m/4.0 接口尺寸
品名	
芯片	CMOS 640*480
分辨率	30
分辨率	≥4mil/0.1mm PCS90%, 39
分辨率	10mm~250mm
分辨率	65/
分辨率	LED
分辨率	
分辨率	±360° ±65° ±60° (CODE39, 10mil/0.25mm, PCS90%)
分辨率	≥15%
分辨率	
分辨率	4mil 39 40mm—70mm 10mil 39 10mm—130mm 13mil UPC/EAN 10mm—160mm 20mil 10mm—150mm ETC..... 分辨率
分辨率	1D: UPC-A, UPC-E, EAN-8, EAN-13, ISBN, ISSN, 128, GS1-128, ISBT, 39, 32, 93, 11, Codabar(NW-7), Interleaved 2 of 5, Matrix 2 of 5, 2 of 5(Straight 2 of 5), 2 of 5, IATA 2 of 5, NEC 2 of 5, MSI 2D: QR Code, Micro QR Code, Data Matrix, PDF417, Micro PDF 417, MaxiCode, Aztec, HanXin Code, Pharma Code(One-Track), Codablock A, Codablock F, Dot Code GS1 Databar, GS1, TLC 39, OCR, 2 of 5, USPS, Planet Code, Postnet Code, UPU 4-State, KIX Code
品名	
品名	450
品名	170*115*110
品名	
品名&品名	0~45°C 10%~80%
品名	-20~60°C 10%~90%















2D Barcode Scanner

Model: OCBS-T220

Color: Black

Interface: USB

Power Input: 5V 0.5A



OCBST2202336500001

MADE IN CHINA