

□□□□ /2D □□□

- □217 □

□□□

1. □□□□□□□
2. □□□□□
3. 4 □□□□□□□□□□
4. 2.4G□□□US□□□□□□
5. 1200□□□□□□□□□□12□□
6. 16MB□□□□□□□□10□□□□
7. □□□□□□□□□□
8. □□□□□□□□□□□□□□□□
9. □□□□ □□□□□□□□□□ □□

□□

□□	- W217
□□	B □□
□□	ABSPC
□□□□	□□□□ 42
□□□□	32□ARM□□□□DSP
W □□□□	100□2.4G□□
□□	□□5V±5%
□□	USB
□□	1200mAh
□□□□	375mW□□□□□□226mW□□□□□□750mW□□□□
□□□□	□□□□□□□□(LED)
□□□□	□□□□□□□□□□□□
□□	16MB
□□□□	12□□
□□□□	4□□□
□□□□□□	15KV□□□□
□□□□	1.5m□□□□□□□□□□
□□□□	Linux□Android□Windows XP□7□8□10□MAC
□□□□	□□OS□□□□
□□	□□LED(□□)□□LED(□□)
□□□□	□□
□□□□□□	≥2.5 %
□□	≥ 4 □□□PCS90%□□□ 39□
□□□□□□	25□□/□
□□□□	□□360°□□□30°□□□45°
□□□□	Code39 417□□15□□□□ 4 □□ -8 □□ □□128 417□□□16□□□□□7□□ - 1 5 □□ □□□□ 1083 □□8 □□□□ 3 □□ -9 □□ □□□ 20 □□ □8□□□□ 1 □□ - 1 9 □□
□□□□	1/5 □□
□□□□	□□□ Code25-□□ , Code25-□□ , Code25-□□ X□ Code39-□□ , Code39-FullASCII , □□32 , Code128 , EAN/GSL/UCC-128□□ , □□□ , MSI , EAN/JAN-13 , UPC-A , □□8□ , □□□□ □□□□ □□□□ □□□□ , □□□□ , PDF417
□□	□□□ □289□ g

20 1	455* 415* 210 / 6.65
&	0 45°C 10% 80%
	-20 60 10%~90%

















