

# □□□□ /2D □□□

- □220 □

## □□□

1. □□□□□□□
2. □□□□□
3. 4 □□□□□□□□□□
4. 2.4G□□□US□□□□□□
5. 1200□□□□□□□□□□12□□
6. 16MB□□□□□□□□10□□□□
7. □□□□□□□□□□
8. □□□□□□□□□□□□□□□□
9. □□□□ □□□□□□□□□□ □□

## □□

□□	- W220
□□	B □□
□□□□	32□ARM□□□□DSP
W □□□□	100□2.4G□□
□□	□□5V±5%
□□	USB 2.4G□□□□□□
□□	1200mAh
□□□□	375mW□□□□□226mW□□□□□750mW□□□□
□□□□	□□□□□□□□(LED)
□□□□	□□□□□□□□□□□□
□□	16MB
□□□□	12□□
□□□□	4□□□
□□□□□□	15KV□□□□□
□□□□	1.5m□□□□□□□□□□
□□□□	Linux□Android□Windows XP□7□8□10□MAC
□□	□□OS□□□□
□□	□□LED(□□)□□LED(□□)
□□□□	□□
□□□□□□	≥ 2.5 %
□□	≥ 4 □□□PCS90%□□□ 39□
□□□□□□	25□□/□
□□□□	□□360°□□□30°□□□45°
□□□□	Code39 417□15□□□□ 4 □□ -8 □□ □□128 417□□□16□□□□7□□ - 1 5 □□ □□□□ 1083 □□8 □□□□ 3 □□ -9 □□ □□□ 20 □□ □8□□□□ 1 □□ - 1 9 □□
□□□□	1/5 □□
□□□□	□□□ Code25-□□, Code25-□□, Code25-□□ X□ Code39-□□, Code39-FullASCII, □□32, Code128, EAN/GSL/UCC-128□□, □□□, □□□□, EAN/JAN-13, UPC-A, □□8□, □□□□□□□ □ □□□□ □□□, □□□□□, PDF417
□□	□□
□□□□&□□	0□45°C□10%□80% □□□
□□□□□□□□	-20□60□□□□10%~90%□□□







Accom 2D Barcode Scanner  
Model: OCBS-W220 Color: Black  
Interface: USB&2.4G  
Power Input: 5V 0.5A CE FC 3P  
OCBSW2202322400022  
Made in China











