

# □□□□ /2D □□□

- □220 □

## □□□

1. □□□□□□□□
2. □□□□□□
3. 4 □□□□□□□□□□□□
4. 2.4G□□□□US□□□□□□□□
5. 1200□□□□□□□□□□□□12□□
6. 16MB□□□□□□□□□□10□□□□□□
7. □□□□□□□□□□□□
8. □□□□□□□□□□□□□□□□□□□□
9. □□□□ □□□□□□□□□□□□ □□

## □□

□□	- W220
□□	B □□
□□□□	32□ARM□□□□DSP
W □□□□	100□2.4G□□
□□	□□5V±5%
□□	USB 2.4G□□□□□□
□□	1200mAh
□□□□	375mW□□□□□□226mW□□□□□□750mW□□□□
□□□□	□□□□□□□□(LED)
□□□□	□□□□□□□□□□□□
□□	16MB
□□□□	12□□
□□□□	4□□□
□□□□□□	15KV□□□□□□
□□□□	1.5m□□□□□□□□□□□□
□□□□	Linux□Android□Windows XP□7□8□10□MAC
□□	□□OS□□□□
□□	□□LED(□□)□□LED(□□)
□□□□	□□
□□□□□□	≥ 2.5 %
□□	≥ 4 □□□□PCS90%□□□□ 39□
□□□□□□	25□□/□
□□□□	□□360°□□□□30°□□□□45°
□□□□	Code39 417□□15□□□□ 4 □□ -8 □□ □□128 417□□□16□□□□7□□ - 1 5 □□ □□□□ 1083 □□8 □□□□ 3 □□ -9 □□ □□□□ 20 □□ □8□□□□ 1 □□ - 1 9 □□
□□□□	1/5 □□
□□□□	□□□□ Code25-□□ , Code25-□□ , Code25-□□ X□ Code39-□□ , Code39-FullASCII , □□32 , Code128 , EAN/GSL/UCC-128□□ , □□□□ , MSI , EAN/JAN-13 , UPC-A , □□8□ , □□□□□□□□ □□□□ □□□□ , □□□□□□ , PDF417
□□	□□
□□□□&□□	0□45°C□□10%□80% □□□□
□□□□□□□□	-20□60□□□□□10%~90%□□□□







Accom 2D Barcode Scanner  
Model: OCBS-W220 Color: Black  
Interface: USB&2.4G  
Power Input: 5V 0.5A CE FC 3P  
OCBSW2202322400022  
Made in China











