

OCBS -W233 2.4G Symcode USB

M / N OCBS-W233



000

0000+ 2.4G + USB

100

250mA 30,000

800

600

000	CMOS 5600K LED
00000	32
00000	1MP 1280 * 800
0000	2.4G + USB 2.4G + + USB
00000	2D PDF417 Micro PDF 417 QR QR1 / 2 Micro Aztec
	1D UPC-A UPC-E EAN-8 EAN-13 Code128 Code39 Code 93 Code32 Code11 Codabar Plessey MSI Interleaved 2 of 5 IATA 2 of 5 Matrix 2 of 5 Straight 2 of 5 Pharmacode RSS-14 RSS-14 Expanded RSS-14 Limited Composite Code-A Composite Code-B Composite Code-C
	1D ≥ 4mil 0.10mm
	2D ≥ 7mil 0.10mm
000000	39-5mil 60mm-120mm
	UPCA-13mil 100 35 310

□□□□	□□1/8□□
□□□□□□	≥30°
□□□□	Yaw□Skew□55°& Pitch55°
□□	2000mAh□□□□□□30000□□
□□□□	5VDC±10□
□□	□□250mA±5□
□□□□	0°C~ + 50°C
□□□□	-40°C~ + 70°C
□□	5□-95□
□□	CE□IP54□ROHS□FCC□EMC□RED□LVD
□□	275□
□□□□	190□□*115□□*85□□;
□□□□	50□/ ctn; 16kg / ctn;
□□□□	600□□×450□□×420□□



OCBS-W233





OCBS-W233





OCBS-W233



3. 3.

OCOM

500 100

12 + 1 24

30 DOA DOA

4. 4.

T / T LC Western Union Escrow T / T Western Union Escrow Paypal Escrow Alipay.com Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5. 5.

6. 6.

Eruopean

133 1300 O2 500 50

OCOM

500 POS

O2 Star

1500 133

9 OEM / ODM

POS

FCC CE Soncap POA BIS

12 + 1

“ ”