

2D

M / N OCBS -W233

1. + 2.4G + USB
2. 100
3. 250mA 30,000
4. 800
- 5.
- 6.
7. 600

	CMOS 5600K LED
	32
	1MP 1280 * 800
	2.4G + USB 2.4G + Bluetooth + USB
	2D PDF417 Micro PDF 417 QR Code QR1 / 2 Micro Aztec 1D UPC-A UPC-E EAN-8 EAN-13 Code128 Code39 Code 93 Code32 Code11 Codabar Plessey MSI 25 IATA 25 5 25 Pharmacode RSS-14 RSS-14 RSS-14 Com pos -A Com pos -B Com pos -C
	1D ≥ 400 0.10 2D ≥ 700 0.10
	39-5mil 60mm-120mm UPCA-13mil 100 35mm-310mm
	1/8
	≥ 30°
	55° 55°
	2000mAh 30000
	5VDC ± 10
	250mA ± 5
	0°C + 50°C
	-40°C + 70°C
	5 -95
	CE IP54 ROHS FCC EMC RED LVD
	275
	190mm * 115mm * 85mm;
	50 /; 16kg /;
	600 × 450 × 420



OCBS-W233





OCBS-W233





OCBS-W233





OCBS-W233





OCBS-W233





OCBS-W233

