

OCBS-W234

M / N OCBS-W234

OCBS-W234 2.4GHz M / N OCBS-W234 1D 1D QR 12

OCBS-W234

2.4GHz

80

100

190mAh 40,000

12

OCBS-W234

1000

OCBS-W234	
Material	ABS + PC + TPU
Voltage	5V±5%
Capacity	190mAh
Battery	3.7V 2000mAh 18650
Frequency	6.5
Resolution	> 12
Weight	170±5
OCBS-W234	
Frequency	2.4GHz
Resolution	50-80M
Light	LED+LED
Capacity	2M 40000
Barcode	Codabar Code11 Code39 / Code93 UPC / EAN Code128 / EAN128 InterLeaved2of5 Matrix2of5 MSI CODE Standard2of5 QR PDF417
Barcode	Code39 5mil QR 8.7mil PCS45
Barcode	5MIL CODE39 5--12 CM 15MIL CODE39 4--25 CM 10MIL CODE93 4--21 CM 15MIL UPC / EAN 4--25 CM 20MIL QR 4--25 CM

扫描速度	400times /秒
分辨率	1/5英寸
扫描距离	0.05-0.5米
扫描面积	5 *5cm <sup>2</sup> - 30 *30cm <sup>2</sup>
光源	红外LED
扫描角度	±35°
扫描范围	0-360° 俯仰±65° 偏航±60°
防护等级	
IP等级	≥IP54
工作温度	0-50°C/ 32-122°F
存储温度	0-50°C/ 32-122°F
工作湿度	5 - 95%RH
存储湿度	5 - 95%RH
静电防护	15KV
重量	1.5Mg





OCBS-W234





OCBS-W234






OCBS-W234





OCBS-W234





OCBS-W234







OCBS-W234







OCBS-W234





OCBS-W234



□□□□:

[OCBS -W234](#)□□□□□□□□