

OCBS-W234

M / N OCBS-W234

OCOM 2.4GHz M / N OCBS-W234 OCBS-W234 1D 1D QR 12

2.4GHz

80

100

190mAh 40,000

12

1000

	ABS + PC + TPU
	5V±5
	190mAh
	3.7V 2000mAH 18650
	6.5
	> 12
	170±5
	2.4GHz
	50-80M
	LED+LED
	2M40000
	CodabarCode11Code39 / Code93UPC / EANCode128 / EAN128InterLeaved2of5Matrix2of5MSI CODEStandard2of5QRPDF417
	Code39 5milQR 8.7milPCS45
	5MIL CODE395--12 CM 15MIL CODE394--25 CM 10MIL CODE934--21 CM 15MIL UPC / EAN4--25 CM 20MIL QR4--25 CM

掃描次數	400times /秒
掃描速度	1/5秒
掃描距離	0.05-0.5m
掃描面積	5 *5cm ² - 30 *30cm ²
光源	紅外線LED
電池壽命	≥35小時
掃描角度	0-360°俯仰±65°旋轉±60°
防護等級	
IP等級	≥IP54
工作溫度	0-50°C/ 32-122°F
儲存溫度	0-50°C/ 32-122°F
工作濕度	5 - 95%RH
儲存濕度	5 - 95%RH
靜電保護	15KV
重量	1.5Mg





OCBS-W234





OCBS-W234





OCBS-W234





OCBS-W234





OCBS-W234





OCBS-W234





OCBS-W234





OCBS-W234



□□□□:

[OCBS -W234□□□□□□□□](#)