

**2D**  
M / N OCBS - W234

□□□

□□□□2.4 GHz□□  
 □□□□80□  
 1 □□□□□□□□□□  
 190mA □□□□ □□□□40,000□  
 □□ □□□□□□□□□□12□□  
 □□□□□□□□□□□□  
 □□□□□□□□□□BOT□ 1000□□□□

|            |  |
|------------|--|
| □□□□       |  |
| □□         | ABS + PC + TPU   |
| □□         | □□5V±5□  |
| □□□□       | 190□□□□□□□□  |
| □□         | 3.7V 2000mAH 18650□□   |
| □□□□       | 6□5□□□   |
| □□□□□□□□   | >12□□  |
| □□         | 170□±5□  |
| □□□□       |  |
| □□ □□Etdod | 2.4GHz□  |
| □□□□       | 50-80M   |
| □□         | □□LED□□+□□LED  |
| □□         | 2M□□ 40000 □ □□□□□□□□□   |
| □□□□       | Codabar□Code11□Code39 / Code93□UPC / EAN□Code128 /<br>EAN128□InterLeaved2of5□Matrix2of5□MSI CODE□Standard2of5□<br>□□□□DATA MATRIX□PDF417 |
| □□□        | Code39 5mil□QR 8.7mil□ PCS45□  |
| □□         | 5MIL CODE39□5--12 CM<br>15MIL CODE39□4--25 CM<br>10MIL CODE93□4--21 CM<br>15MIL UPC / EAN□4--25 CM<br>20MIL QR □ 4--25□□                 |
| □□□□       | 400□/□   |
| □□□        | 1 / 500mil   |
| □□□□       | □□□□   |
| □□□□       | 5 * 5cm2 - 30 * 30cm2  |
| □□□□       | □□□□□□□□LED□   |
| □□□□□      | 35□  |
| □□□□       | □□0-360°□ □□±65°□ □□±60°   |
| □□□□       |  |
| IP□□       | ≥IP54  |
| □□□□       | 0□50oC / 32□122oF  |
| □□□□       | 0□50oC / 32□122oF  |
| □□□□       | 5 - 95□□□□□□□□   |
| □□□□       | 5 - 95□□□□□□□□   |
| □□□□       | 15KV   |
| □□□□       | 1.5M□□□□□□□□□□□□   |



OCBS-W234





OCBS-W234

