

OCBS-W235 2.4g

OCBS-W235

□□

□□2.4G + USB□□;

100□□□□□□□□□□

□□□□□□□□15000□□

□□□□□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□600□□□□

□□□□□□□□□□

□□

□□	CMOS
□□□□□	32□
□□□□□	1MP□1280 * 800□
□□□□	2.4G + USB□2.4G + □□ + USB□□□□
□□□□□□	□□□PDF417□Micro PDF 417□QR Code□QR1 / 2□Micro□□Data matrix□Aztec□□□□□□ □□□
	□□□UPC-A, UPC-E, EAN-8, EAN-13, Code128, Code39, Code 93, Code32, Code11, Codabar, Plessey, MSI, Interleaved 2 of 5, IATA 2 of 5, Matrix 2 of 5, Straight 2 of 5, Pharmacode, RSS-14, RSS-14 Expanded, RSS-14 Limited, Composite Code-A, Composite Code-B, Composite Code-C.
	1D≥400□□0.10□□□
□□□	2D≥700□□0.10□□□
□□□□	code 39-5mil□60mm-120mm
	UPCA-13mil□100□□□35mm-310mm
□□□□□	□□1/8□□
□□□□□	≥30°
□□□□	□□□□□□□55°□□□55°
□□	1500mAh□20000□□□□□□□□
□□□□	5VDC±10□
□□	□□250mA±5□
□□□□	0°C□+ 50°C
□□□□	-40°C□+ 70°C
□□	5□-95□



OCBS-W235





OCBS-W235





OCBS-W235





OCBS-W235





OCBS-W235





OCBS-W235





OCBS-W235

