

POS 2DQR

M / N OCBS-W235



□□

I 2.4G + USB

I 100

I 15000

I

I

I 600

I

□□	CMOS
□□□□	32
□□□□	1MP 1280 * 800
□□□□	2.4G + USB 2.4G + Bluetooth + USB
□□□□	2D PDF417 Micro PDF 417 QR Code QR1 / 2 Micro Aztec
	1D UPC-A UPC-E EAN-8 EAN-13 Code128 Code39 Code 93 Code32 Code11 Codabar Plessey MSI 2 of 5 IATA 2 of 5 2 of 5 Pharmacode RSS-14 RSS-14 Limited Composite Code-A Composite Code-B Composite Code-C

□□	1D≥400□□0.10□□□
□□	2D≥700□□0.10□□□
□□□□	□39-5mil□60mm-120mm
	UPCA-13mil□100□□□35mm-310mm
□□□□□	□□1/8□□
□□□□□□□	≥30°
□□□□	□□□□□□□55°□□□55°
□□	1500mAh□20000□□□□□□□□
□□□□	5VDC±10□
□□	□□□250mA±5□
□□□□	0°C□+ 50°C
□□□□	-40°C□+ 70°C
□□	5□-95□



OCBS-W235





OCBS-W235





OCBS-W235





OCBS-W235





OCBS-W235



□OEM / ODM□

□□□□□□□□

▶ Company



▶ Certificates



▶ Payment



□□□□□□□□

·POS□□□□□□□□□□□□□□□□□□

·□□□□□□500□□□□□□□□

·1□□□□□□□□□□□□O2□Star ...

·□□163□□□□/□□□2600□□□□□□

·□□□□□□□□□□24□□□□□□□□

·□□12□OEM / ODM□□□□□□□□□□

·□□□□□□□□□□□□□□□□

·□□ISO 9001□FCC□CE□Rohs□Soncap□SASO□POA□BIS□□□□□□□□□□

·□□□□□□□□□□□□□□□□□□□□

·□□□□□□□□12 + 1□□□□□□□□□□□□

·□□“□□□□□□”

·□□“□□□□□□□□□□□□□□□□”□□□□□□



