

1D / 2D

OCBS -W236

;
 30 60fps;
 3mil;
 1D&2D;
 2.4G;
 2.4G 150m;
 2200mAh;
 40000 EAN13;
 ();
 windows 7/8/10 iOS Android Linux;
 ;

		OCBS -W236
		CMOS
		LED LED
		32
	COMS	640x480
		60fps.
		≥3mil.
		60-360mm.
		360° 65° 60°
		/
		2200mAh.
		150 2.4G 10
		40000 EAN-13 code
		1D: Codabar Code11 Code39 Code32 Interleaved 2 of 5 Industrial 2 of 5 Matrix 2 of 5 Code93 Code128 GS1-128 UPC-A UPC-E EAN 8 EAN 13 GS1 DataBar RSS14 GS1 DataBar Limited GS1 DataBar Expanded etc
		2D: PDF417 Micro PDF417 QR Code Micro QR Data Matrix Aztec Code

□□□□	□□	L * W * H = 163 * 68 * 80□mm□
	□□	185G.
	□□	ABS + TPU.
	□□□□	DC 3.6V-5.5V
	□□□□	142mAh.
	□□□□	42mAh.
	□□	□□□□LED
	□□	USB-HID.
	□□□□	1.6M.
	□□□□	0°C-50°C
	□□□□	□□□□5□-95□□□□□□
	□□□□	-40°C-70°C
	□□□□	0-5000LUX□□□□□□□□0-100,000LUX□□□□



OCBS-W236





OCBS-W236

