

□□□

□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□400□□
 □□□□USB□□□□4.2□□□□2.4G
 □□□□□□□□□□□□20h
 □□□□□□□□□□□□□□□□□□□□□□□□PC
 □□□□□□□□□□□□□□□□□□□□□□□□

□□□

□□□	OCBS- W238
□□	DC 5V@250mA□□□□□
□□□□	B□
□□□□	USB □□□□2.4G □□□□□□□□4.2
□□□	□□□□□□□□□□□□□□□□
□□	USB□□□□□□□□□□□□□□□□
□□□□	1.5□
□□□□□□	□□30□□□□□□□□30□□□□□□□□□□60 °C □□□□-20 °C □
□□	
□□□□	CMOS
□□	130□□CMOS□□□□□□
□□□	100CM/S
□□	50mm~900mm
□□□□	□□□□□□□□□□□□
□□□□	□□□±360° □□□□±60°□□□□□□□□± 55 °□□□□
□□□□	□□4 0 °×□□30 °
□□□□□□□□	≥25% PCS
□□ □□□□	2.4GHz□□70□□□□□□□□30□□□□□□□□
□□	350 KB □□□ 20,000 □□□□□□□□
□□□□	5000□□
□□□□□□	□7□□
□□□□□□	≥36□□
□□□□	1□□
□□□□	1D □UPC-A □UPC-E,EAN-8 □EAN-13,Code 128, GS1-128,Code 39,Code 32, Code 93,Code 11,Interleaved 2 of 5,Matrix 2 of 5,Industrial 2 of 5□□ 2 of 5□□Codabar□NW-7□GS1 □□□□□ 2D□□□□□□□□□□□□□□□□□□□□Data Matrix□PDF417□□□□PDF 417□Aztec□□
□□□	
□□	□□□710□
□□	230 * 130 * 132□□
20 □ 1 □	680*470*280mm/15kg
□□	
□□□□□□□□	0□45□□□□□10%~80%□□□□
□□□□□□□□	-20 □ 60 □□□□□10%~90% □□□□









