

# OCBS-W239 2.4G 2D

(M/N:OCBS-W239)

□□

2.4G 2.4G+  
30  
20000  
□□□□□□□□□□  
□□□□□□□□□□  
□□□□□□□□□□  
□□□□□□□□□□  
□□□□□□□□□□

□□

□□	OCBS-W239
□□	2.4G 2.4G+□□□□
□□□□	3.7V/2500mAh 20000□□□□□□
□□	LED/□□□
□□□□	+4.2V±10% □□
□□□□	226□□
□□□□	204□□
□□□□	96□□
□□□□	□□□□ 1.5m □□
□□	□□ LED
□□	□□ LED
□□□□□	CMOS
□□□□□	640*480
□□□□□	≥ 20% □□□□□
□□□□	Roll/Pitch/Yaw:65°□□Yaw□,65°□□Pitch□,360°□□Roll□
□□□□	1D :Codabar,Code 39,Code 32 Pharmaceutical (PARAF),Interleaved 2 of 5,NEC 2 of 5,Code 93,Straight 2 of 5 Industrial,Straight 2 of 5 IATA,Matrix 2 of 5,Code 11,Code 128,GS1-128,UPC-A,UPC-E,EAN/JAN-8,EAN/JAN-13,MSI,GS1 DataBar Omnidirectional,GS1 DataBar Limited,GS1 DataBar Expanded,China Post(Hong Kong 2 of 5),Korea Post
□□□□□□	2D:Codeblock A,Codeblock F,PDF417,Micro PDF417,GS1 Composite Codes,QR Code,Data Matrix,MaxiCode,Aztec,HANXIN Code39(4mil):6-15cm,Code39(5mil):4-20cm,Code39(13mil):6-35cm □□□15mil□□4-20cm□□□20mil□□3-25cm□□□30mil□□3-35cm UPC-A(13mil):4-35cm,ENA-13(5mil):6-15cm,ENA-13(5mil):3-35cm
□□	□□□290g
□□	122*165*105mm/493g
30 □ 1 □	525*430*360mm/16.5kg
□□	□□□□□□□□□□
□□□□□□□□	0□45□□□□10%~80%□□□□
□□□□□□□□	-20 □ 60 □□□□10%~90% □□□□





















