

□□□□□□□□□□□□□□□□

□□□□OCBS-W239)

□□□



2.4G□2.4G□□□□□

30□□□□□□□□□□□□□□

□□□□□□□□20000□□

XXXXXXXXXX

XXXXXXXXXX

XXXXXXXXXX

XX

項目	
型番	OCBS-W239
寸法	2.4G $\times$ 2.4G $\times$ 2.4G
電圧	3.7V/2500mAh $\times$ 20000mAh
照明	LED / 赤色
電圧	4.2V $\pm$ 10% 充電時
電圧	226V
電圧	204V
電圧	96V
電圧	充電時 1.5m 充電
色	
色	充電時充電
色	充電時充電
充電時	CMOS
充電時	640*480
充電時	$\geq$ 20% 充電時
充電時	充電時充電65°充電時65°充電時360°充電時
充電時	1D :Codabar,Code 39,Code 32 Pharmaceutical (PARAF),Interleaved 2 of 5,NEC 2 of 5,Code 93,Straight 2 of 5 Industrial,Straight 2 of 5 IATA,Matrix 2 of 5,Code 11,Code 128, GS1-128,UPC-A,UPC-E,EAN/JAN-8,EAN/JAN-13, MSI $\times$ GS1 DataBar Omnidirectional $\times$ GS1 DataBar Limited $\times$ GS1 DataBar Expanded $\times$ 充電時充電 2 充電 5 充電時充電 QR $\times$ Codeblock A, Codeblock F, PDF417, Micro PDF417, GS1 Composite Codes, QR Code, Data Matrix, MaxiCode, Aztec, HanXIN
色	Code39(4mil):6-15cm ,Code39(5mil):4-20cm,Code39(13mil):6-35cm QR(15mil):4-20cm, QR(20mil):3-25cm, QR(30mil):3-35cm UPC-A(1300 $\times$): 4-35cm, ENA-13(500 $\times$): 6-15cm, ENA-13(500 $\times$): 3-35cm
項目	
色	充電時290g
色	122*165*105mm/493g
30 $\times$ 1 $\times$ 1	525*430*360mm/16.5kg
色	
充電時	0 $\times$ 45充電時10%~80%充電時
充電時	-20 $\times$ 60充電時10%~90%充電時




































□□□□□

[OCBS-W239□□□□□](#)

