

無線/有線二合一
M/N(OCBS-W289)

特點



掃描範圍

640*480mm/1280*800mm;

掃描速度

每秒可掃描100個條碼

掃描精度

4mm

掃描距離

2.4G

	OCBS-W289	OCBS-W289G	OCBS-W289H
	ABS+PC		
	<280mA < 130 mA		
	5 (- 10%)/500mA		
	1.2G		
	USB2.4G/USB2.4G		
	2000		
	LED&		
	2.4G		
CMOS	1280*8001MP	640*4800.3MP	1280*8001MP
	LED		
	4mil		
	15KV		
	1.2m		
	≥15%		
	GS1 DataBar™ 2D GS1 DataBar Expanded Stacked GS1 DataBar GS1 DataBar GS1 PDF417 PDF417		
	3.34mil 39 60mm—160mm 3.34mil EAN-13 90mm—150mm 5mil 39 70mm—240mm 5mil EAN-13 70mm—230mm 13mil UPC-A 40mm—450mm 5mil PDF417 65mm—210mm 5mil QR 75mm—140mm 10mil QR 45mm—290mm 10mil DM 30mm—260mm 20mil QR 20mm—480mm		
	0-360°±60°±60°		
	195		
	183*67*90		
	195*118*82/0.42		
20 1	435*235*410		

項目	
動作温度・湿度	0~45℃・10%~80% 以下
保存温度・湿度	-20~60℃・10%~90% 以下











