

□□□□□/□□□□□□□□

□M/N□OCBS-W289)

□□□



□□□□□□□□

1MP□□1MP(1280*800);

□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□

4□□□□□□□□□□

□□□□□□□□□□

2.4G

	OCBS-W289	OCBS-W289G	OCBS-W289H
	ABS+PC		
	<280mA < 130 mA		
	5 (- 10%)/500mA		
	1.2G		
	USB2.4G/USB2.4G		
	2000		
	LED&		
	2.4G		
CMOS	1280*8001MP	640*4800.3MP	1280*8001MP
	LED		
	4mil		
	15KV		
	1.2m		
	≥15%		
	GS1 DataBar™ 2D GS1 DataBar Expanded Stacked GS1 DataBar GS1 DataBar GS1 PDF417 PDF417		
	3.34mil 39 60mm—160mm 3.34mil EAN-13 90mm—150mm 5mil 39 70mm—240mm 5 EAN-13 70mm—230mm 13mil UPC-A 40mm—450mm 5mil PDF417 65mm—210mm 5mil QR 75mm—140mm 10mil QR 45mm—290mm 10mil DM 30mm—260mm 20mil QR 20mm—480mm 		
	0-360°±60°±60°		
	195		
	183*67*90		
	195*118*82/0.42		

20 1	435*235*410
	045°C10%80%
	-206010%~90%











