OCOM____3mil1d 2d_____



000000004000000000010000000

	CMOS		≥3mil
	1280 * 960	 	2 m /□
	00/00		□□40.5°□□□30.4°
	□□650nm	0000*	≥25[]
	2D	PDF417□QR Code□Data Matrix□Chinese Sensible Code□□□□□□□□	
	1D	128 Code93 ITF-6 ITF-14 Interleaved2of 5 I	A_UPC-E_ISSN_ISBN_Codabar_Code ndustrial 2of 5_Standard 2of5_Matrix2of Code 11_MSI-Plessey_Plessey_
	00000	2015-1	2015-2
	EAN-13[]1300[]	25[[[[]]]]	40004100
	□□39□500□□	500010000	1100025000
	PDF 417□670□□	400010500	115190
		400011000	1000025000
	1500 <u></u>	35[[[[]]]]	700028000
000000*		±50°	
		360°	
		±50°	
	RS-232[USB[PS / 2		
	166* 107* 71 mm		5 VDC±5[]
	208[]		1251 mW[[[[[
□□@ 5 VDC	□□□□266 mA□□□□		109
	1		•
	-20°C∏50°C		±16 kV000000±8 kV00000
	-40°C∏+ 70°C		1.8m
	5009500000	IP□□	IP42
	FCC Part15 B□□CE EMC	B[]	•
	•		

	USB	USB	
	RS-232	RS-23200000000000	
	PS / 2	PS / 200000000000	
	5VR\$232 DC 5V_1.5AAC100_240V_50_60Hz		













 $OCOM {\tt COM} {\tt COM$

Company

















Certificates











Payment

















- ·POS
- \cdot
- ·1____02_Star ...
- \cdot 000000000240000000

- $\cdot \verb||| \verb|| ISO 9001 || FCC || CE || Rohs || Soncap || SASO || POA || BIS || || || || || ||$
- \cdot 00000012 + 10000000000
- $\cdot \square \square ``\square \square \square \square \square \square \square "$



2.000000
00000000000000000000000000000000000000
3.
OCOM
4.000
00000000000000000000000000000000000000
5.

1.00000