

# OCPP -585 58mm

## OCPP -585



□□□

□□□□□□□□

□□□□□□□

□□□□□

□ESPON□□

□□□□□50KM

□□□

□□□□	□□□□
□□□□	384□/□□203DPI□
□□□□	384□/□□ANK□□□□□A□12 * 24□□1.5□W□* 3.0□H□mm □□/□□□24 * 24□□3.0□□□* 3.0□□□mm
□□□□□	JAN13□EAN13□JAN8□EAN8□CODE39 QR□□□□□□
□□□□	□EPSON ESC / POS□□
□□	□□□□□□
□□□□	90□□/□
□□□□	57.5±0.5□□
□□□□	0.06-0.08mm
MCBF□□□□	50□□
□□	190 * 132 *119□□
□□□	1.2KG
□□□□□	□□□□□□
□□□	□□□□□□□□□□□□□□□□□□□□
□□	Φ75mm
□□	RS-232C□□□□□USB□LAN□□□□□□
□□	□□□ESPON□□□Win 9X□Win 2000□Win 2003□Win XP□Win Vista□Win 7
□□□□□□□□	AC 110V / 220V□50-60Hz
□□□□□□□□	DC12V / 3A

□□□□□□	DC12V / 3A
□□□□□□	DC12V / 1A
□□□□	0-45°C□□□□10-80□
□□□□	-10-60°C□□□□10-90□
□□	CE / FCC / CCC / RoHS□□



OCPP-585





OCPP-585







□□□□□





Parallel



Serial



USB



Lan

4□□□□□□

□□□□□□



□□□□

Single Carton Box

