

OCPP-585-U 58 POS 17

OCPP-585-U

1. FEATURE

-
-
-
- ESPON□□
- 50KM

2. □□□

□□□□	□□□□
□□ □□	384dots /□ □203DPI□
□□□□	384□/□□ANK□□□ □□□A□12 * 24□□1.5□W□* 3.0□H□mm
	□□/□□□24 * 24dots□ 3.0□W□* 3.0□□□mm
□□□□	JAN13□EAN13□ JAN8□EAN8□ CODE39 QR□□□□□□□
□□ Command	□EPSON ESC / POS□□
□□	□□□□□□□
□□ □□□□	90□□/□
□ w ^IDp	57.5±0.5□□
□ Thickness	0.06-0.08mm
MCBF □□□□	50□□
□□	190 * 132 *119□□
□ w ^□	1.2KG
□□ C □□	□□□□
□□□□	□□□□□□□□□□□□□□□□□□□□□□□□
□ P □□	Φ75mm
□□	RS-232C□□□□□USB□LAN□□□□□□□
□□	□9X□ Win 2000□ □□2003□□ □XP□ □Vista□ Win 7□ESPON□□
□□□□□□□□	AC 110V / 220V□ 50-60HZ
□□□□□□□□	DC12V / 3A
□□□□□□□□	DC12V / 3A
□□□□	DC12V / 1A
□□□□	0-45□□□ □□□ 10-80□
□□□□	-10-60°C□□□□□idity□ 10-90□
□□	CE / FCC / CCC / RoHS□□

3. □□□□□□



4.4 □□□□□□



5. □□□□□□



6. □□□□□□



7. FAQ

1

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

2

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

3

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

4

OCOM Technologies Ltd. TUV POS Auto-ID

8. OCOM

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

Harold Hu

OCOM Technologies Ltd.

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

QQ1467261417;

0086.755.86053207-814;

0086.755.86053207-868;