58__ ___

□OCPP -58E□

| | □□ w ^IDþ | 48MM |
|---|-------------|--|
| | | 384dots /8dots /203DPI_ |
| | | 90/_ |
| | | USB[]USB +[][] |
| | | 3.750000000000000 |
| | | □□A.□32 □□/□ |
| | | □□B.□42 □□/□ |
| | | |
| | | |
| | | ANKANK |
| | | □□B.□1.1×2.1□□□9×17□□ □/□□□□□3.0×3.0□□□24×24 dOTS□ |
| | | PC437 /ППП/ PC850 / PC860 / PC863 / PC865 / WestEurope /ПП/ППП |
| | | |
| | | // WPC1252 / PC866 / PC852 / PC858 / IranII //// |
| | | PT151,1251 / PC737 / WPC / |
| | | 1257 / ThaiVietnam / PC864 / PC1001 //PC1001_/ |
| | | <pre>□PT151,1251□/□WPC1257□/□PC864□□□□□/□□□□</pre> |
| | | UPC-A / UPC-E / JAN13 EAN13 / JAN8 EAN8 CODE 39 / ITF / |
| | | CODABAR / CODE93 / CODE128 |
| | | |
| | | |
| | | |
| - | | 570.5±0.5∏ |
| | | ≤60∏ |
| | | |
| | | ESC / POS |
| | | □□□AC 100V-240V□50 - 60□□ |
| | | |
| | Casher∏∏∏ | DC 12V / 1A |
| | | 4K |
| | NV Flash | 40K |
| 1 | INV I IUSII | TUN |