

2POS 58

OCPP -58E



OCPP -58EOCPP -58E

-
-
- ;
- ;
- GB18030
- ;
- LOGO
- WindowsLinuxAndroidIOS

pos tal

		48MM
		384dots /8dots /203DPI
		90/
		USBUSB +
		3.75 mm
		A32/ B42/ 16
		GB18030/
		A1.5×3.0mm12×24 B1.1×2.1mm9×173.0×3.0mm24×24

PC437 / PC850 / PC860 / PC863 / PC865 / WestEurope / WPC1252 / PC866 / PC852 / PC858 / IranII / PT151,1251 / PC737 / WPC / 1257 / ThaiVietnam / PC864 / PC1001 / PC1001 / PT151,1251 / WPC1257 / PC864 /	PC437 / PC850 / PC860 / PC863 / PC865 / WestEurope / WPC1252 / PC866 / PC852 / PC858 / IranII / PT151,1251 / PC737 / WPC / 1257 / ThaiVietnam / PC864 / PC1001 / PC1001 / PT151,1251 / WPC1257 / PC864 /	PC437 / PC850 / PC860 / PC863 / PC865 / WestEurope / WPC1252 / PC866 / PC852 / PC858 / IranII / PT151,1251 / PC737 / WPC / 1257 / ThaiVietnam / PC864 / PC1001 / PC1001 / PT151,1251 / WPC1257 / PC864 /
	UPC-A / UPC-E / JAN13 / EAN13 / JAN8 / EAN8 / CODE39 / ITF / CODABAR / CODE93 / CODE128	UPC-A / UPC-E / JAN13 / EAN13 / JAN8 / EAN8 / CODE39 / ITF / CODABAR / CODE93 / CODE128
		57.5±0.5
		≤60mm
		Clameshell
		ESC / POS
		AC 100V-240V 50-60Hz DC 12V / 2A
	Casher	DC 12V / 1A
		4K
	NV Flash	40K
		590
		185 * 130 * 112MM
		5~45°C 10~80
		-10~50°C 10~90
		50KM ≤12.5



OCPP-58E



www.ocominc.com





OCPP-58E



www.ocominc.com

