

(□□ No.: OCPP-806)

```
□□□1D □ QR □□□□□;
SDK □ Android □□;
00000, 0000, 0000;
□□:
 576\Pi/\Pi, 512\Pi/\Pi, \Pi\Pi
                   □: 12 * 24 □, 1.5 (W) * 3.0 (H) □□;
 B: 9 * 17 \square, 1.1 (W) * 2.1 (H) mm
                   24 * 24 ∏, 3.0 (W) * 3.0 (H) mm
 upc/upc-JAN13 (EAN13)/JAN8 (EAN8) CODABAR/□□□
 □/CODE39/CODE93/CODE128
 300
                   □ + USB + □□□
 ☐ ESC/POS ☐☐
                   Win9X/Win2000//Win2003/Win \square \square \square \square XP/Win8/Win10, \square \square ESPON
 ПП
                   79.5±0.5mm (□□□□ 72mm)
 83mm
 0.06-0. 08 □□
                   100km
                   DC24V/2.5A
 ПП
                   0-45 □
 ПП
                   10-80%
 195 ↑ * 155 w * 148 h mm
 \Pi\Pi \Pi\Pi
                   2.70kg
                   □□:29 * 21 * 17 □□;□□□□ (8 pcs):60 * 44 * 36 (cm)
```