

OCPP-80E-L POS 80mm

OCPP-80E-L

*

- 1.
- 2.
- 3.100M
- 4.256KB NV 2M
- 5.OPOS
- 6.

*

	200
	79.5±0.5
	Φ80mm
	0.06-0.08mm
	576/ line512
	3.75
	ESC / POS
	USB+25P/ 36P/ LAN
C	100
P	100
	2048Kbytes
NV Flash	256K
	AC110V / 240V 50/60HZ
	DC 24V / 2.5A
	DC 24V / 1A
	0~45 10~80N-
	0~45 10~80N-
	-10~60°C; Humidity10~90
	ANKFontA1.5 * 3.0mm / FontB1.1 *2.1
	UPC-A / UPC-E / JAEAN13/ JAN8EAN8 / CODE39 / ITF
	/ CODE93 / CODE128/ PDF417
	PC347PC850PC860PC863
	PC865WPC1252PC866
	2PC8522
	PC858IranIIPT1511251
	1.25; 190×145×143**

*



OCPP-80E



www.ocominc.com





OCPP-80E



www.ocominc.com

CE FC





OCPP-80E



www.ocominc.com





OCPP-80E



www.ocominc.com





OCPP-80E



www.ocominc.com





OCPP-80E



www.ocominc.com





OCPP-80E



www.ocominc.com





www.ocominc.com

CE FCC





OCPP-80E



www.ocominc.com







OCPP-80E



www.ocominc.com





OCPP-80E



www.ocominc.com

CE FC





www.ocominc.com

CE FC



* 1. Warranty

1. Warranty

OCOM provides a warranty for the OCPP-80E card payment terminal. The warranty period is 12 months for the main unit and 24 months for the card reader module.

2. Payment Methods

The OCPP-80E card payment terminal supports the following payment methods: T / T, LC, T / T, Alipay.com, Moneybookers, Visa, MasterCard, Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B, Euro6000.

3. Features

The OCPP-80E card payment terminal has the following features:

4. Contact Information

For more information, please contact us at info@ocominc.com or www.ocominc.com.

