

OCPP 80E POS 80mm

OCPP-80E

*

- 1.
- 2.
- 3.100M
- 4.256KB NV 2M
- 5.OPOS
- 6.

*

	200
	79.5±0.5
	Φ80mm
	0.06-0.08mm
	576/ line512
	3.75
	ESC / POS
	USB+25P/ 36P/ LAN
C	100
P	100
	2048Kbytes
NV Flash	256K
	AC110V / 240V 50/60HZ
	DC 24V / 2.5A
	DC 24V / 1A
	0~45 10~80N-
	0~45 10~80N-
	-10~60°C; Humidity10~90
	ANKFontA1.5 * 3.0mm / FontB1.1 *2.1
	UPC-A / UPC-E / JAEAN13/ JAN8EAN8 / CODE39 / ITF
	/ CODE93 / CODE128/ PDF417
	PC347PC850PC860PC863
	PC865WPC1252PC866
	2PC852
	PC858IranIPT1511251
	1.25; 190×145×143**

*



OCPP-80E



www.ocominc.com





OCPP-80E



www.ocominc.com





OCPP-80E



www.ocominc.com

CE FC





OCPP-80E



www.ocominc.com





OCPP-80E



www.ocominc.com









www.ocominc.com

CE FCC





OCPP-80E



www.ocominc.com







OCPP-80E



www.ocominc.com





OCPP-80E



www.ocominc.com

CE FC





www.ocominc.com



1.Warranty

2.□□□□

000000000000T / T LC0000000000000000000000T / T00000000000000000000Alipay.com00000000
 00MoneybookersVisaMasterCard000000000000MaestroSoloCarte BleuPostePayCartaSi4B
 Euro600000000000

3.□□

[illegible]4. ☐ ☐ ☐ ☐ ☐ & ☐ ☐[illegible]

