

OCPP-80F-UL 300mm / s USB + LAN M / N OCPP-80F

□□□

- 1. 300mm / s
- 2. 2048K
- 3.
- 4.
- 5.
- 6.
- 7. 80MM 58MM

□□□□□
□
□□□□□□

□□	□□	
□□□□	□□	
□□□□	72□□	
□□□□	576□□/□□512□□/□□8dots /□□□203DPI□	
□□□□	□□300mm /□	
□□□□	□□□□□100M□ + USB + COM;USB + COM	
□□□□	3.75□□□□□□□□□□□□□	
□□□□	FontA-48Lines / FontB-64Lines /□□□□□□□□-24□	
□□□□	□□GB18030□□/□□□□□□	
□□□□□□	ANK□□□□□□A□1.5×3.0□□□12×24□□ FontB□1.1×2.1□□□9×17□□□□□□□□□□3.0×3.0mm□24×24□□	
□□□□□□	PC437 / □□□/ PC850 / PC860 / PC863 / PC865 / WestEurope /□□/□□□□/□□□□/□□/ WPC1252 / PC866 / PC852 / PC858 / Iranli /□□□□□□□□□/ PT151,1251 / PC737 / WPC / 1257 / ThaiVietnam / PC864 / PC1001 /□□□□□□□□□□PC1001□/ □PT151,1251□□/□WPC1257□□/□PC864□/□□□□□□□□□	□□ □□□□UPC-A / UPC-E / JAN13□□□□EAN13□□/ JAN8□□□□EAN8□□□□CODE39 / ITF / CODABAR / CODE93 / CODE128
□□□□	□□□□□□□□□□	□□□□□□□□□□
□□□□	□□	
□□	□	
□□	79.5±0.5□□	
□□	≤80mm	
Feed□□	□□□□□Clamshell□□□□	
□□	ESC / POS	
□□□□□	□□□□AC 110V / 220V□50□60Hz	
□□□□□□	□□□□DC 24V / 2.5A	
□□□□□□	DC 24V / 1A	
□□□□□□	2048K□□	
NV Flash	256K□□	
□□	1.2KG	
□□	186 * 145 * 135	
□□	□□□□5□45□□□□□□□□10□80□	
□□	□□□□-10□150□□□□□□□□10□90□□□□□□	
□□□□□□	100KM□□□□□□□□□□LE.12.5□	
□□□□□□	1000,000times	
□□	□□□□□OS□□Linux□□□□Win2000□□Win2003□□□□WINXP□□Win7□□Win8□□Win8.1	

□□□□□



www.ocominc.com



http://www.aliexpress.com/store/403448?tracelog=minisite_Ci...factorie

5.

*...1...1...1...2...3...4...CRM...6...7 * 24...6.

http://www.possolution.com.cn/cn/download.html...SDK

7.

http://www.possolution.com.cn/video.html

8.

...

9.

http://www.possolution.com.cn/inquiry.html

...

OCOM Technologies Ltd. TUV POS Auto-ID OCOM 500 1

...

OCOM POS POS POS POS CE FCC

OCOM " OEM / ODM

...

Harold Hu

OCOM

104 518054
www.ocominc.com www.possolution.com.cn;
sales14@ocominc.com;
Skype sales14@ocominc.com
MSN ocomsales14@hotmail.com;
Whatsapp 86.18948789890;
18948789890@ocominc.com;
86.18948789890;
QQ 1467261417;
0086.755.86053207-814;
0086.755.86053207-868;