

# OCPP-80F-ULW USB + LAN + WIFI 80MM / N OCPP-80F

□□□

1. 300mm / s□□□□□□□□□□
2. 2048K□□□□□□□□□□□□
3. □□□□□□□□□□
4. □□□□□□□□□□
5. □□□□□□□□□□□□□□;
6. □□□□□□□□□□□□
7. □□□□□□□□80MM□□□□□□58MM

□□□□□

□

□□□□□□

□□	□□	
□□□□	□□	
□□□□	72□□	
□□□□	576□□/□512□□/□□8dots /□□□203DPI□	
□□□□	□300mm /□	
□□□□	□□□□100M□+ USB + COM;USB + COM	
□□□□	3.75□□□□□□□□□□□□	
□□	FontA-48Lines / FontB-64Lines /□□□□□□□□-24□	
□□	□□GB18030□□/□□□□□□	
□□□□	ANK□□□□□A□1.5x3.0□□□12x24□□	
□□□□□□	Font□1.1x2.1□□□9x17□□□□/□□□□□3.0x3.0mm□24x24□□	
□□□□□□	PC437 /□□□/ PC850 / PC860 / PC863 / PC865 / WestEurope /□□/□□□□/□□□□/□□/ WPC1252 / PC866 / PC852 / PC858 / Iranli /□□□□/□□□□/ PT151,1251 / PC737 / WPC / 1257 / ThaiVietnam / PC864 / PC1001 /□□□□□□/□PC1001□/ □PT151,1251□/□WPC1257□/□PC864□/□□□□□□□□	□□
□□□□	□□□□□□□□□□	1D□□□□UPC-A / UPC-E / JAN13□□EAN13□□/ JAN8□□EAN8□□CODE39 / ITF / CODABAR / CODE93 / CODE128
□□□□	□□	□□□□□□□□
□□	□	
□□	79.5±0.5□□	
□□	≤80mm	
Feed□□	□□□□Clameshell□□□□	
□□	ESC / POS	
□□□□	□□□□AC 110V / 220V□50□60Hz	
□□□□	□□□□DC 24V / 2.5A	
□□□□□□	DC 24V / 1A	
□□□□	2048K□□	
NV Flash	256K□□	
□□	1.2KG	
□□	186 * 145 * 135	
□□	□□□□5□45□□□□□□10□78□□	
□□	□□□□-10□50□□□□□□□□10□90□□□□□□	
□□□□	100KM□□□□□□□□LE.12.5□	
□□□□	1000,000times	
□□	□□□□IOS□Linux□□□Win2000□Win2003□□WINXP□Win7□□Win8□□Win8.1	

□□□□□



[www.ocominc.com](http://www.ocominc.com)





