

80MM

OCPP -80H

Features

Receipt printer

1D/2D barcode

USB + RS232 + LAN

300mm/s

100M

256KB NV 2M

POS

OPOS

Specifications

Receipt printer	OCPP
Receipt printer	300mm/s
Receipt printer	79.5±0.5mm
Receipt printer	Φ80mm
Receipt printer	0.06-0.08mm
Receipt printer	576/line 512
Receipt printer	3.75mm
Receipt printer	ESC / POS
Receipt printer	USB + LAN
Receipt printer	100M
Receipt printer	100M
Receipt printer	2048Kbytes
NV Flash	256K
Receipt printer	AC110V / 240V 50/60HZ
Receipt printer	DC 24V / 2.5A
Receipt printer	DC 24V / 1A
Receipt printer	0~45°C / 10~80%
Receipt printer	0~45°C / 10~80%
Receipt printer	-10~60°C; 10~90%
Receipt printer	ANK FontA 1.5 * 3.0mm / FontB 1.1 * 2.1mm
Receipt printer	UPC-A / UPC-E / JAN EAN13 / JAN8 EAN8 / CODE39 / ITF / CODE93 / CODE128 / QRCode / PDF417



OCPP-80H





OCPP-80H





OCPP-80H





□□ □□ □□ □□

