

wifi 80mm pos

OCPP-80K

111

00800000000000

□ □ □ □ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □

100M□□□□□□□□□□

256KB NV Logo 256kb

48mm □ 80mm □ □ □ □ □ □ □ □

POS/JPOS 欄;

150KM □□□□□□□□

--	--	--	--	--

品牌	
型号	OCP-80K
尺寸	80mm(可折叠)
接口	USB/ USB-LAN/ USB-BT/ USB-WIFI/ URL/WIFI/ URLBT/ USB-RS232
电源	AC 100V-240V, 50-60Hz, DC 24V/ 2.5A
功耗	24W/1A
存储	(最大)Max.20K
分辨率	150KM
重量	
材料	
颜色	256K色Flash 256K
认证	
操作系统	OS/Windows
安全	CE/FCC/Rohs
其他	
备注	
规格	576x512x80x203dpi
性能	200mm/s (U/UR) 260 xUL/ UB/T/ U WIFI 300mm/s (URL/ URL BT/ URLWIFI)
精度	72mm
兼容性	
应用	POS
包装	
配件	UPC-A/ UPC-E/ JAN13/EAN13/JAN8/EAN8/ CODE39/ ITF/ CODABAR/CODE93/CODE128 QR CODE USB/UR
保修	GB18030/
其他	384点阵ANK * 12 * 24 * 1.5(W) * 3.0(H) mm FontB: 9*17dots, 1.1(W) * 2.1(H)mm 24*24 * 3.0(W) * 3.0(H)mm
其他	
其他	PC437 / PC850 / PC860 / PC863 / PC865 / / WPC1252 / PC866 / PC852 / PC858 / IranII / PT151, 1251 / PC737 / WPC / 1257 / Thai/Vietnam / PC864 / PC1001 / PC1001G/PT151G/1251G/WPC1257G/PC864G/
其他	
其他	48mm/ 52mm/ 56mm/ 64mm/ 68mm/ 76mm/ 80mm

0000
0000
000
000
00
00
000
120100
00
00000
00000

0.06~0.08mm
83 00
000

196*145*135mm
1.6500
300*190*180 00
615*370*535mm/21.5kg

04500010%~80% 000
-20 60 000010%~90% 000





OCPP-80K





OCPP-80K





OCPP-80K





OCPP-80K







OCPP-80K





OCPP-80K





OCPP-80K







□□□□

[OCP-80K□□](#)

[OCP-80K□CD](#)