## 80 00 000000 0000

## \_\_\_/\_\_ OCPP-80K []

## 

- ullet
- 008000000
- 000000000
- 00000000
- 100M
- 256KB NV Logo | 256kb | 256k
- 48[80mm][][][][]
- 150000000

## 

OCPP-80K
80mm
USB/ USBLan/ USBBT/ USB WiFi/ URL WIFI/ URLBT/ USBRS232
□□□AC 100V-240V, 50-60Hz, □□□DC 24V/ 2.5A
□□24V/1A
0000000 000000020KD
150KM
256K_NV256K
_iOS/  _/Windows
CE[]FCC[]Rohs []
576[]/[][512[]/[][8[]/mm, 203dpi[]

	200
	300mm/s[URL/URLBT/URLWIFI[]
	72
	□□GB18030□□/□□□□□
	384/ANKA12 * 241.5(W) * 3.0(H) mm  FontB: 9*17dots, 1.1(W) * 2.1(H)mm 24*243.0(W) * 3.0(H)mm
00/00	
	PC437 / [][] / PC850 / PC860 / PC863 / PC865 / []] / [][] / [][] / [][] / WPC1252 / PC866 / PC852 / PC858 / []] II / [][][][] / PT151[]1251 / PC737 / WPC / 1257 / ThaiVietnam / PC864 / PC1001 / ([][][][]]) / (PC1001) / (PT151, 1251) / (WPC1257) / (PC864) / ([][][]]) / ([][])
	48/ 52/ 56/ 64/ 68/ 76/ 80
	0.06~0.08mm
	196*145*135
	1.65
	300*190*180□□
12[]1[]	615*370*535mm/21.5kg
0000&00	0_45°C_10%_80%
	-20  60      10%~90%













