OCPP -80M□□□□80mm POS□□□□□□□

□□□□OCPP -80M□

□□□

l 260mm / sec□□□□

l□□□□□□□□□□□□□□□

l□□□□□□□

l□□+ USB + LAN□□

l□□□□□□

l□□□□□□□

l□□□□□□□□□

l□□□□□□□□□□

l□□□□□

□□□

□□□□	□□□
□□□□	ANK□□□A□12 * 24□□□□B□9 * 17□□□□/□□□□□24 * 24□
□□□□	576□/□□512□/□
□□□	PC347□□□□□□□□□□□□ PC850□□□□□□□□PC860□□□□□□□□ PC863□□□□-□□□□PC865□□□□□ □□□□□□□□□□□□□□□□□□□□WPC1252□PC866□□□□□□2□□PC852□□□□2□□PC858□□ □□2□□□□□II□□□□□□□□□□□□□PT151□1251□
□□	UPC-A / UPC-E / JAN13□EAN13□/ JAN8□EAN8□/ CODABAR / ITF / CODE39 / CODE93 / CODE128
□□□□	260□□/□

□□□□□	1024K□□
□□	79.5±0.5□□
MCBF□□□□	100□□
□□□□	□□ESC / POS
□□□□□□	DC24V / 1A
□□□□	0.06-0.08□□
□□	□□□□
□□	79.5±0.5□□*φ83□□
□□	□□+ USB + LAN
□□	Win 9X / Win ME / Win 2000 / Win 2003 / Win NT / Win XP / Win Vista / win 7&8 / Linux / win10
□□	DC24V / 2.5A
□□□□□□□	AC 110V / 220V□50□60Hz;□□□DC 24V / 2.5A
□□	185x140x134mm□□*□*□□
□□	1.48□□

OCOM®

At your side

OCPP-80M

ISO FC CE RoHS

ocom®
At your side
OCPP-80M
Thermal Receipt Printer
Model:OCPP-80M
Paper Width: 80mm
Print Speed: 250mm/s
Power Input: 24V
Interface:RS232+USB+LAN
ISO
FC
CE
RoHS

Aocom®
At your side
OCPP-80M
POWER
ERROR
PAPER
FEED
ISO
FC
CE
RoHS

[illegible]

1.[illegible]

[illegible]

[illegible]

2.[illegible]

[illegible]

[illegible]

[illegible]

[illegible]t / t[illegible]western uion[illegible]paypal[illegible]

3.□□

OCOM□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□500□□□□□□□□□□□□□□□□□□□□100□□□□□□□□□□

□□□□□□□□□□□□12 + 1□□□□□□□□□□□□□24□□□□□

□□□□30□□□□□□□□□□□□□□DOA□□ DOA□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

4.□□□□

□□Paypal□□□□□□□□□□□□□□□
□Moneybookers□Visa□MasterCard□□□□□

□□□□□□□□□□□□□Maestro□Solo□Carte Bleue□Pos tePay□CartaSi□4B□Euro6000□

5.□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□
□□□□□POS□□ID□□□□□□□□□□□500□□□□□□

1□□□□□□□□□O2□Star ...

3000□□□□□165□□□/□□

13□OEM / ODM□□

POS□□□□□□□□□□□1□□□□

□□□□□□□

ISO□CE□FCC□Soncap□POA□BIS□□□□

12 + 1□□□□

□□“□□□□□”

□□□□□□□□□□□□□